Tree Schedule

at

St Andrews Court

Fenian Street

Dublin 2

On behalf of

Dublin City Council

December 2021

211005-PD-20

CHARLES MCCORKELL ARBORICULTURAL CONSULTANCY

211005 - St Andrews Court

Tree ID	No. Species	Height (m)	Stem diameter (cm)	No. of Stems	N	CROWN		D (m) SW W NW	Crown clearance (m)	L.B. (m)	Life stage	Condition Notes Recommendations	Survey date	RPA (m ²)	RPR (m)	Life expectancy (yrs)	BS Category
Tree T690	1 Tilia sp. (Lime sp.)		24	1	3.0	5.5	3.5	2.5	1.5		Early Mature	Structural condition Fair. Physiological condition Fair. Arboricultural work - Historic. Branch - Broken. Fork - Weak with included bark. Root environment - Restricted.	01/12/2021	26.1	2.9	20-40	C2
Tree T691	1 Sorbus aucuparia (Rowan/Mountain Ash)	8.0	36	1	5.0	6.0	4.0	3.5	1.5		Mature	Structural condition Poor. Physiological condition Fair. Deadwood - Minor. Fork - Weak with included bark. Girdling roots - Major. Grafted specimen. Leaning trunk - Minor. Root environment - Restricted. Congested crown break with multiple included unions.		58.6	4.3	10-20	C2
Tree T995	1 Sorbus aucuparia (Rowan/Mountain Ash)	7.0	20	1	2.0	3.5	3.0	3.5	2.5		Early Mature	Structural condition Good. Physiological condition Fair. Grafted specimen. Root environment - Restricted.	01/12/2021	18.1	2.4	20-40	C2
Tree T996	1 Sorbus aucuparia (Rowan/Mountain Ash)	7.0	29	1	4.0	4.0	3.5	4.0	2.0		Early Mature	Structural condition Fair. Physiological condition Fair. Fork - Weak with included bark. Grafted specimen. Leaning trunk - Minor. Structural impact - Footpath / highway / drive disturbance.		38.0	3.5	10-20	C2

Stem green Estimated value

Stem AVE Average stem diameter for tree groups

Stem COM Combined stem diameter in accordance with BS5837

L.B. Height of lowest branch attachment (m) - where relevant

The survey information in this schedule has been gathered following a BS5837 survey for planning purposes. Where hazardous trees have been noted recommendations for works may have been made but this survey cannot be relied upon as a full health and safety assessment of the trees.

Page 1 of 2

tree management software

Generated By

Table 1 of BS5837 (2012)

Table 1 of BS5837 (2012) Cascade	de chart for tree quality assessment							
Category and definition	Criteria (including subcategories	where appropriate)	Identificati	on on plan				
Trees unsuitable for retention (see not	e)							
 Category U Trees that have a serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees (e.g. where, for whatever reason, the loss of companion shelter cannot be mitigated by pruning) Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline Trees infected with pathogens of significance to health and/or safety of other trees nearby, or very low quality trees suppressing adjacent trees of better quality NOTE Category U trees can have existing or potential conservation value which it might be desirable to preserve; see 4.5 								
	1 Mainly arboricultural qualities	2 Mainly landscape qualities	3 Mainly cultural values, including conservation					
Trees to be considered for retention								
Category A	Tree that are particularly good examples of	Trees, groups or woodlands of particular	Trees, groups or	GREEN				
Trees of high quality	their species, especially if rare or unusual; or those that are essential components of	visual importance as arboricutural and/or landscape features.	woodlands of significant conservation, historical,	UNLER				
with an estimated remaining life expectancy of at least 40 years	groups or formal or semi-formal arboricultural features (e.g. the dominant and/or principal trees within an avenue).		commemorative or other value (e.g. veteran trees or wood-pasture).					
Category B	Trees that might be included in category A,	Trees present in numbers, usually growing	Trees with material	BLUE				
Trees of moderate quality with an estimated remaining life expectancy of at least 20 years	but are downgraded because of impaired condition (e.g. presence of significant though remediable defects, including unsympathetic past management and storm damage), such that they are unlikely to be suitable for retention for beyond 40 years; or trees lacking the special quality necessary to merit the category A designation.	as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality.	conservation or other cultural value.	BLUL				
Category C	Unremarkable trees of very limited merit or	Trees present in groups or woodlands, but	Trees with no material	GREY				
Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150 mm	such impaired condition that they do not qualify in higher categories.	without this conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape benefits.	conservation or other cultural value.					

Address: 12 Churchfield Grove, Ashbourne, Co. Meath

Email: charles@cmarbor.com

Tel: +353 85 843 7015

Web: www.cmarbor.com