

ISSUE	DATE:	NOTE:							
-	16/02/2024	Issue for planning.							
This document needs to be read in conjuncture with the general arrangement drawings, component drawings, design statement and the photographic survey. Refer to the Fire consultant report and drawings for further details.									
FLOOR	DOOR NO.	LOCATION	PROPOSED TYPE	FIRE RATING REQUIRED	EXISTING ARCHITRAVE	DESCRIPTION	VISION PANEL	IRONMONGERY - TBD	NOTES
<b>EXTERNAL DOORS</b>									
BASEMENT	EDB-02	B-06/ B-04	6	FD30S	N/A	Door within new ope	No		See Dwg C-021 and design statement for details
	EDB-03	B-06	6	FD60S	0	New timber door	No		See Dwg C-021 and design statement for details
	EDB-04	B-06/ B-11	6	FD30S	N/A	Door within new ope	No		See Dwg C-021 and design statement for details
	EDB-05	B-06	6	FD60S	N/A	Double doors within masonry build up	No		See Dwg C-021 and design statement for details
	EDB-06	B-06	6	FD60S	N/A	Double doors within masonry build up	No		See Dwg C-021 and design statement for details
	ED0-04	0-04 / Castle street Apartments shared escape	6		No	New ope created in the masonry to provide new escape timber door with vision panel	Yes		See drawing no. XX and method statement for details
<b>INTERNAL DOORS</b>									
GROUND FLOOR	D0-04	0-01 / 0-07	1	FD30S	Yes	New replica 6 panel timber double doors to be fit in within the existing architrave	Yes		See Dwg C-020 and design statement for details
	D0-05	0-07 / 0-8	5	FD60S	N/A	Concealed frame timber veneer double doors	No		See Dwg C-021 and design statement for details
	D0-07	0-07 / 0-09	5	-	-	Concealed frame timber veneer door.	No		See Dwg C-021 and design statement for details. Part M Compliant ironmongery required.
	D0-08	0-07 / 0-10	5	FD30S	N/A	Concealed frame timber veneer door.	No		See Dwg C-021 and design statement for details
	D0-09	0-07	5	FD30S	N/A	Concealed frame timber veneer door.	No		See Dwg C-021 and design statement for details
	D0-10	0-05 / 0-07	4	FD30S	N/A	Glazed screen door system - aluminium powder coated frame with insert glazing	Yes		See Dwg C-021 and design statement for details
	D0-11	0-05	5	FD60S	N/A	Concealed frame timber veneer door.	No		See Dwg C-021 and design statement for details
	D0-12	0-05 / 0-06	4	FD30S	N/A	Glazed screen door system - aluminium powder coated frame with insert glazing	Yes		See Dwg C-021 and design statement for details
	D0-13	0-06 / 0-07	4	FD30S	N/A	Glazed screen door system - aluminium powder coated frame with insert glazing	Yes		See Dwg C-021 and design statement for details
D0-14	0-07	4	FD30S	N/A	Glazed screen door system - aluminium powder coated frame with insert glazing	Yes		See Dwg C-021 and design statement for details	

ISSUE	DATE:	NOTE:							
-	16/02/2024	Issue for planning.							
This document needs to be read in conjuncture with the general arrangement drawings, component drawings, design statement and the photographic survey. Refer to the Fire consultant report and drawings for further details.									
FLOOR	DOOR NO.	LOCATION	PROPOSED TYPE	FIRE RATING REQUIRED	EXISTING ARCHITRAVE	DESCRIPTION	VISION PANEL	IRONMONGERY - TBD	NOTES
FIRST FLOOR	D1-06	1-07 / 1-09	1	FD30S	No	New replica 6 panel timber door to match door D1-05 with a new architrave to match the style of the existing architrave styles in the room.	No		See Dwg C-021 and design statement for details. See photograaphic survey and design statement for details of the existing doors in the room.
SECOND FLOOR	D2-02	2-02/ 2-06	4	FD30S	No	Glazed screen door system - aluminium powder coated frame with insert glazing	Yes		See Dwg C-021 and design statement for details.
	D2-07	2-07.B/ 2-08	2	FD30S	No	New replica 6 panel timber doors to match the style of the existing doors on the floor.	No		See Dwg C-020 and design statement for details. See photographic survey for details of the existing doors on the floor.
	D2-14	2-03	6	-	No	Contemporary timber veneer door - new WC fitout	No		See Dwg C-020 and design statement for details. Part M compliant ironmongery required.
	D2-15	2-05	6	-	No	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	D2-16	2-05	6	-	No	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
THIRD FLOOR	D3-02	3-02/ 3-03	4	FD30S	No	Glazed screen door system - aluminium powder coated frame with insert glazing	Yes		See Dwg C-021 and design statement for details.
	D3-06	3-07.A / 3-09.B	6	FD30S	No	Contemporary timber door - new internal fitout	No		See Dwg C-021 and design statement for details.
	D3-07	3-07.A / 3-09.A	6	FD60S	No	Contemporary timber door - new internal fitout	No		See Dwg C-021 and design statement for details.
	D3-11	3-03 / 3-05	6	-	No	Contemporary timber door - new internal fitout	No		See drawing no. XX and method statement for details. Part M compliant ironmongery required.
	D3-12	3-05	6	-	No	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	D3-13	3-05	6	-	No	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	D3-14	3-05	6	-	No	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	D3-15	3-05	5	-	No	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	DB-01	B-02/ B-03.A	6	FD30S	No	New ope in the masonry construction.	No		See Dwg C-021 and design statement for details.
	DB-07	B-07/ B-09	6	FD30S	No	New ope in the masonry construction.	No		See Dwg C-021 and design statement for details.
	DB-08	B-07/ B-07.A	6	FD30S	N/A	New ope in the masonry construction.	Yes		See Dwg C-021 and design statement for details.

ISSUE	DATE:	NOTE:
-	16/02/2024	Issue for planning.

This document needs to be read in conjuncture with the general arrangement drawings, component drawings, design statement and the photographic survey. Refer to the Fire consultant report and drawings for further details.

FLOOR	DOOR NO.	LOCATION	PROPOSED TYPE	FIRE RATING REQUIRED	EXISTING ARCHITRAVE	DESCRIPTION	VISION PANEL	IRONMONGERY - TBD	NOTES
BASEMENT	DB-10	B-01/ B-16.A	6	FD30S	N/A	Door within new fire rated corridor	Yes		See Dwg C-021 and design statement for details.
	DB-12	B-016/ B-16.A	6	FD30S	N/A	Door within new fire rated corridor	Yes		See Dwg C-021 and design statement for details.
	DB-17	B-10/ B-14	4	FD30S	No	New hinged door	-		See Dwg C-021 and design statement for details.
	DB-19	B-03 / B-03.A	6	-	N/A	Opaque glazed doors - aluminium powder coated doors with insert glazing	Yes		See Dwg C-021 and design statement for details.
	DB-20	B-03	6	-	N/A	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	DB-21	B-03	6	-	N/A	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	DB-22	B-03	6	-	N/A	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	DB-23	B-03	6	-	N/A	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	DB-24	B-03	6	-	N/A	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	DB-25	B-03	6	-	N/A	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
	DB-26	B-06	6	-	N/A	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.
DB-27	B-06	6	-	N/A	Contemporary timber veneer door - new WC fitout	No		See Dwg C-021 and design statement for details.	

**Note**