Lifecycle Report for

Social Housing Bundle 4, Development at Church of the Annunciation, Finglas

for Dublin City Council

Report No. SHB4-CAF-RP-SHA-AR-P3-6200 July 2024

# SEÁN HARRINGTON ARCHITECTS

Seán Harrington Architects 3<sup>rd</sup> Floor 121/122 Capel Street Dublin 1, Ireland

- t. 01 873 3422
- e info@sha.ie

# **Table of Contents**

1. INTRODUCTION

2. MEASURES CONSIDERED TO EFFECTIVELY MANAGE AND REDUCE COSTS FOR THE	
RENEFIT OF RESIDENTS	4

2

## 1. Introduction

#### 1.1 REQUIREMENTS OF THE APARTMENT GUIDELINES

The Sustainable Urban Housing; Design Standards for New Apartments – Guidelines for Planning Authorities were published in March 2018 (hereafter referred to as the Apartment Guidelines). The Apartment Guidelines introduced a requirement to include details on the management and maintenance of apartment schemes.

Section 6.13 of the Apartment Guidelines 2018 requires that apartment applications:

"... include a building lifecycle report, which in turn includes an assessment of long-term running and maintenance costs as they would apply on a per residential unit basis at the time of application as well as demonstrating what measures have been specifically considered by the proposer to effectively manage and reduce costs for the benefit of residents."

This Building Life Cycle Report document sets out to address the requirements of Section 6.13 of the Apartment Guidelines

#### 1.2 PROPOSED DEVELOPMENT

This report was prepared by Seán Harrington Architects on behalf of the National Development Finance Agency (NDFA) and Dublin City Council, to accompany a Part 8 proposal for development described as follows in the public notices.

Notice is hereby given of the construction of 110 residential units for 'Older Persons' at a site c.0.77 ha at the site of the former Church of Annunciation on Cardiffsbridge Road, Finglas, Dublin 11, which will consist of the following:

- One apartment block ranging from 4 to 5-storeys, containing:
  - o 110 residential units for 'Older Persons' comprising 106 no. 1-bed and 4 no. 2-bed; and
  - o 434 sq.m. of community, arts and cultural facilities.
- 15 no. car parking spaces and 87 no. cycle spaces.
- 935 sq.m. of public open space and 609 sq.m. of communal open space.
- One vehicular and pedestrian access and one dedicated pedestrian access off Cardiffsbridge Road.
- Boundary treatments, public lighting, site drainage works, internal road surfacing and footpath,
   ESB meter rooms, plant rooms, stores, bin and bicycle storage, landscaping; and
- All ancillary site services and development works above and below ground.

#### 1.3 PROCUREMENT METHOD

It is intended that the development will be delivered through a Public Private Partnership (PPP) structure which will include maintenance and tenancy management services. Under this arrangement, the appointed PPP Company in partnership with an Approved Housing Body, will be responsible for the maintenance and management of the development and the life cycling of building elements on behalf of Dublin City Council and the residents over a 25-year period. Thereafter the maintenance and management of the development will be handed over to Dublin City Council.

As part of the appointment of the PPP Company, a performance specification will be developed that will outline the level of robustness and life expectancy of materials to be used, the required maintenance regimes and the residual life of building elements at the end of the 25-year period. The performance specification will cover external envelope materials, internal and external communal areas and all areas within the public realm including approaches to providing lighting, heating, hot water provision and other services.

At this planning stage, consideration has been given to the external materials to buildings, boundaries, and the public realm, and also outline energy carbon reduction strategies. The materials and services proposed will be durable and will provide a long life and low maintenance requirements for the residents.

# 2. Measures considered to effectively manage and reduce costs for the benefit of residents

#### 2.1 ENERGY AND CARBON EMISSIONS

The following are an illustration of the energy measures that have been designed for and which the PPP Company will be able to consider for the units to assist in reducing costs for the occupants.

Measure	Description	Benefit
BER Certificates	A Building Energy Rating (BER) certificate will be provided for each dwelling in the proposed development which will provide detail of the energy performance of the dwellings. A BER is calculated through energy use for space and hot water heating, ventilation, and lighting and occupancy. It is proposed to target an A2 rating for the apartments as a minimum, and this will equate to the following emissions.  A2–25-50 kwh/m2/yr with CO2 emissions c.10kgCO2/m2 /year	Higher BER ratings reduce energy consumption and running costs.
Fabric Energy Efficiency	The U-values being investigated will improve upon the requirements set out by the current regulatory requirements of the Technical Guidance Documents Part L, titled "Conservation of Fuel and Energy Buildings other than Dwellings". They are as follows:  Walls: 0.13 W/m2.K Window: 0.8 W/m2.K (solar fraction (g factor) of 0.65 or greater, Frame factor of 0.7 or better) Roof: 0.12 W/m2.K Doors: 1.2 W/m2.K (This is to include frame) Ground Floor slab: 0.11 W/m2.K Thermal Bridging: Factor of 0.08, with junction details to conform with "Limiting Thermal Bridging and Air Infiltration – Acceptable Construction Details" Airtightness: 3 m3/m2/hr @50Pa	Lower U-values and improved air tightness is being considered to help minimise heat losses through the building fabric, lower of energy consumption and thus minimise carbon emissions to the environment.

The following are Low energy technologies that are being considered for the development and during the design stage of the development the specific combination from the list below will be decided on and then implemented to achieve the A2 BER Rating.

Measure	Description	Benefit
Heat pumps	Air source Heat pump or internal exhaust air heat pump units have been designed for and are to be considered to provide heating and hot water demands.	Heat pumps operate with efficiencies >400%. Air to water heat pumps utilise external cold air as the air source for the heat pump. Through compression, heat pumps can 'pump up' heat at low temperature and release it at a higher temperature so that it may be used again.
Mechanical Ventilation Heat Recovery or Demand- controlled ventilation	With air tightness of housing improving to reduce heat loss and energy and healthy environment is needed to be considered to ensure fresh air is provided and that condensation is not an issue.  Mechanical Ventilation Heat Recovery or Demand-controlled ventilation will be considered to provide ventilation with low energy usage.	MVHR provides continuous ventilation to habitable rooms with low energy usage. Continuous extract is also provided from wet rooms, with exhausted air preheating the incoming fresh air via a heat exchanger in the unit. 90% of the heat can be recovered through this process that would otherwise be wasted.  MEV, or demand control ventilation, relies on continuous extract from wet rooms, without heat recovery. It incorporates automated wall vents which open/close dependent on internal humidity conditions.  MEV is more power efficient than the MVH. MVHR is more beneficial in energy terms when the outdoor air is cold.
PV Solar Panels	PV Solar Panels have been considered as part of the planning application.	PV Solar Panels offer the benefit of reducing fossil fuel consumption and carbon emissions to the environment.

	The panels are typically placed on the South facing side of the building for maximum heat gain and in some instances, can also be used to assist the heating system.	They also reduce the overall requirement to purchase electricity from the grid.
ECAR Charging Points	Parking spaces will be ducted for future installation of EV charging.  As this site does not include oncurtilage parking, where the EV charging would be from the distribution board of individual dwellings, a central EV charging network will be established for the street parking.	Providing the option of E-car charging points will allow occupants to avail of the ever- improving efficient electric car technologies.

#### 2.2 MATERIALS

The practical implementation of the Design and Material principles has informed design of building facades, internal layouts and detailing of the proposed apartment buildings.

#### **2.2.1 BUILDINGS**

All dwellings are designed in accordance with the Building Regulations, in particular Part D 'Materials and Workmanship', which includes all elements of the construction. The Design Principles and Specification are applied to both the apartment units and the common parts of the building and specific measures taken include:

Measure Description	Benefit
Natural/Passive ventilation system	Avoids costly mechanical ventilation systems and
to circulation areas	associated maintenance and future replacement.
External paved and landscaped areas	All of these require low/minimal maintenance.
Daylighting to circulation areas where possible	Avoids the requirement for continuous artificial lighting.

## 2.2.2 MATERIAL SPECIFICATION

Measure Description	Benefit
Consideration is given to the requirements of the Building Regulations and includes reference to BS 7543:2015, 'Guide to Durability of Buildings and Building elements, Products and Components', which provides guidance on the durability, design life and predicted service life of buildings and their parts.  All common parts of the proposed Apartment buildings and, the durability and performance of these are designed and specified in accordance with Figure 4; Phases of the Life Cycle of BS7543; 2015. (Please see Appendix B for this figure). The common parts are designed to incorporate the guidance, best practice principles and mitigations of Annexes of BS 7543: 2015 including:  Annex A Climatic Agents affecting Durability Annex B Guidance on materials and durability Annex C Examples of UK material or component failures  Annex D Design Life Data sheets	Ensures that the long-term durability and maintenance of Materials is an integral part of the Design and Specification of the proposed development.
Use of brickwork, stone and render to the majority of the envelope of buildings (and particularly where robustness and durability are required), with painted render to remaining  Use of high-performance powder-coated	Requires minimal on-going maintenance Requires minimal on-going maintenance
windows, doors and railings.	requires minimai on-going maintenance
Traditional roof coverings with robust and proven detailing to roof elements	Built up warn roof system with sedum layer over, reduced maintenance & are easy to repair.

## 2.2.3 EXTERNAL MATERIAL TYPICAL PERFORMANCE INDICATORS

The following tables typical performance indicators for a range of external materials as described on the planning drawings:

External Material Typical Performance Indicators			
Roof			
Description	Built up warm roof system		
Typical Life Expectancy	20 years ++		
Robustness & Security	High – generally not in vulnerable locations		
Replacement & Repair	High- easily replaced in case of damage		
Typical Maintenance	Very low maintenance		
Entrance Canopy Windows & Doors			
Description	Powder-coated aluminium		
Typical Life Expectancy	45-50 years		
Robustness & Security	Good resistance to accidental damage		
Replacement & Repair	Moderate- able to be touched up		
Typical Maintenance	Low maintenance		
Balconies & Railings			
Description	Powder-coated metal		
Typical Life Expectancy	Metal structure typically 70 years		
Robustness & Security	High resistance to accidental damage		
Replacement & Repair	Moderate- able to be touched up		
Typical Maintenance	Low maintenance		
External Brick			
Description	Clay brick		
Typical Life Expectancy	50-80 years. Pointing, 25-50 years		
Robustness & Security	Very high resistance to accidental damage		
Replacement & Repair	Excellent- easily replaced		
Typical Maintenance	Very low maintenance		
External Render			
Description	Render finish		
Typical Life Expectancy	Circa 25 years		
Robustness & Security	High resistance to accidental damage		
Replacement & Repair	Good - able to be repaired locally		
Typical Maintenance	Low maintenance		

Rainwater Goods	
Description	Powder-coated metal
Typical Life Expectancy	40-50 years
Robustness & Security	Good resistance to accidental damage
Replacement & Repair	Excellent- easily replaced
Typical Maintenance	Low maintenance
External Steps	
Description	Concrete
Typical Life Expectancy	80 years
Robustness & Security	Very high resistance to accidental damage
Replacement & Repair	Good - able to be repaired locally
Typical Maintenance	Very low maintenance

#### 2.3 LANDSCAPE

Measure	Description	Benefit
Hard Landscape Materials	Sustainable, robust materials, with high slip resistance to be used for paving.  Durable and robust finishes to be selected for all play elements, fencing, furniture, bin and bicycle storage units.	Materials selected to minimise on- going maintenance inputs
Soft Landscape Materials	Planting proposals have been formulated to complement the local setting as well as being fit for purpose in respect of private and public realm uses and spatial constraints imposed by garden sizes and the width of planting strips.  Native tree species have been selected in significant numbers for planting along boundaries and across open spaces while non-native species have also been selected where spatial constraints are a factor. The plant selection proposed has a proven record to thrive in the Irish climate.	Reduction in the frequency of required soft landscape maintenance
Site Layout and Design	Pedestrian and cyclist friendly hierarchy of streets and open spaces are complemented by generous and high-quality landscape treatments including street tree planting and soft landscaping within public spaces providing long term high quality residential environments.	Safe, high quality residential environments reduce vandalism and antisocial behaviour issues
Maintenance & Management	Maintenance and management requirements have been considered through the design process.  Complex planting arrangements have been omitted thus avoiding onerous maintenance and management requirements.	Estate maintenance costs reduced
Sustainability & Biodiversity	Sustainability aspects of the proposed development include the use of native trees where possible across the site. Other species have been carefully selected for compatibility with the size of available spaces which is an important factor in long term management. The overall objective is to enhance the	Enhanced sustainability of long-term management

biodiversity potential of the site in addition to providing seasonal interest and variety.
Judiciously placed flowering shrub and groundcover planting have been included to further promote biodiversity (pollinator species attracting insects and birdlife). Sedum is also included to roofs, for both SUDs benefit and biodiversity gains.

## 2.4 WASTE MANAGEMENT

The following measures illustrate the intentions for the management of Waste.

Measure	Description	Benefit
Construction	A Construction and Operational Waste Management	
and	Plan will be developed by the developer in due course	
Operational		
Waste		
Management		
Plan		
Recyclable	Domestic waste management strategy: Grey, Brown	Helps reduce
Waste	and Green bin distinction. Competitive tender for	potential waste
	waste management collection	charges.

## 2.5 HEALTH & WELLBEING

The following are illustrations of how the health and wellbeing of future residents are considered.

Measure	Description	Benefit
Natural / Day Light	The design, separation distances and layout of the duplex / apartment blocks have been designed to optimize natural daylight/ sunlight and to provide good levels of natural light.	Reduces reliance on artificial lighting thereby reducing costs.

Accessibility	All units will comply with the requirements of Part M and Part K.	Reduces the level of adaptation, and associated costs, potentially necessitated by residents' future circumstances.
Security	The scheme is designed to incorporate passive surveillance with the following security strategies available for adaption into the design:  CCTV monitoring details will be considered at detailed design if appropriate. Fobbed access into communal bin and shared bicycle facilities are under consideration.  All public areas will be well-lit.	Aids in reducing potential security/ management costs. Enhances safety for residents and visitors.
Natural Amenity	Large open green spaces proposed throughout the scheme, connecting to the existing green spaces and promoting health and wellbeing.	Facilitates community interaction, socialising and play – resulting in improved wellbeing

## 2.6 MANAGEMENT

Consideration has been given to the ensuring the users have a clear understanding of their property.

Measure	Description	Benefit
Home User	Consideration will be given to providing all	Residents are kept as
Guide	residents with a home user guide including:	informed as possible so
		that any issues can be
	User information manual – this will provide	addressed in a timely
	important information for the purchaser on details	and efficient manner.
	of their new property. It typically includes details	
	of the property such as MPRN and GPRN,	
	Information in relation to connect with utilities and	
	communication providers, contact details for all	

relevant suppliers and User Instructions for appliances and devices in the property.

A Residents Pack prepared by the OMC which will typically provide information on contact details for the Managing agent, emergency contact information, transport links in the area and a clear set of rules and regulations.