



NOTE
FOR PAVED AREAS SUBJECT TO OCCASIONAL
HGV LOADING (e.g. EDGE OF ROAD PARKING BAYS)
INCREASE THE HYDRAULICALLY BOUND
AGGREGATE LAYER THICKNESS TO 200mm



PERMEABLE PAVING TO COMMUNAL OPEN SPACE

SCALE 1:20




TYPICAL PERMEABLE PAVING OUTLET DETAIL

SCALE 1:20

NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF MALONE O'REGAN CONSULTING ENGINEERS AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DRAWING WAS ORIGINALLY CREATED.
THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS, SPECIFICATIONS AND THE PRELIMINARY HEALTH & SAFETY PLAN.
ALL DIMENSIONS ARE IN mm UNLESS NOTED OTHERWISE. DO NOT SCALE DIMENSIONS.
THE CONTRACTOR SHALL CHECK ALL DIMENSIONS PRIOR TO THE COMMENCEMENT OF CONSTRUCTION. ALL DISCREPANCIES SHALL BE REPORTED TO THIS OFFICE IN WRITING.
NOTES


ALL PLANTING, TREES AND LANDSCAPING TO LANDSCAPING ARCHITECT'S SPECIFICATION.

OUTLET PIPE OFFSET DISTANCE 'X' ABOVE THE INLET TO ACHIEVE INTERCEPTION STORAGE IN THE PAVEMENT BUILDUP = 0.3VA WHERE A = PERMANENT AREA (ALLOWS FOR 30% VOIDS IN THE GRANULAR LAYER)




SUDS/ATTENUATION TREE PIT

SCALE 1:20



TYPICAL SECTION THROUGH RAIN GARDEN TAKING DRAINAGE FROM FOOTPATH

SCALE 1:20



GREEN ROOF BUILD-UP

SCALE 1:20

00	ISSUED FOR PLANNING (PART B)	12.07.24	JD	CC
REV	DESCRIPTION	DATE	BY	CHK

STATUS
P3 - ISSUED FOR PLANNING

ADR
MALONE O'REGAN
CONSULTING ENGINEERS

Unit 2B Richview Office Park,
Clonskeagh,
DUBLIN 14
D14 XT57

T: +353 1 260 2655
E: dublin@morco.ie
W: www.maloneoregan.ie

Offices also in:
GALWAY T: +353 91 531 069 E: galway@morco.ie
WATERFORD T: +353 51 876 855 E: waterford@morco.ie

CLIENT
NATIONAL DEVELOPMENT FINANCE AGENCY AND DUBLIN CITY COUNCIL

JOB NAME
SOCIAL HOUSING BUNDLE 4, DEVELOPMENT AT CROKE VILLAS, SACKVILLE AVENUE.

DRG. NAME
SITE DEVELOPMENT DETAILS
SUDS DRAINAGE DETAILS

JOB REF	SHEET	SCALE	DATE	BY	ENG	APP	REV.
23006	A1	SHOWN	NOV/2023	JD	CC	COB	00

DRG. NO.
SHB4-CVD-DR-MOR-CS-P3-151